

Houben-Weyl

Methods of Organic Chemistry

Additional and Supplementary Volumes to the 4th Edition

Editorial Board: K.H. Büchel, J. Falbe, H. Hagemann, M. Hanack, D. Klamann,
R. Kreher, H. Kropf, M. Regitz, E. Schaumann

Vol. E 21 a

Stereoselective Synthesis:

Nomenclature, Principles, Analytic, Axially Chiral
Compounds, Bond Disconnection, Alkylation
Reaction, Insertion into C H Bonds

Publication Year
1995

ISBN (Print)
978-3-13-219504-2



Overview of Contents

Volume E 21a

Part A.	General Aspects	
1.	Nomenclature and Vocabulary of Organic Stereochemistry	1
2.	Basic Principles of EPC Synthesis	75
3.	Determination of Enantiomeric Purity	
3.1.	Direct Methods	147
3.2.	Formation of Diastereomers	225
4.	Determination of Absolute and Relative Configuration	
4.1.	Nuclear Magnetic Resonance Methods (Relative Configuration)	293
4.2.	X-ray and Neutron Diffraction Methods	379
4.3.	Chemical Methods	399
4.4.	Chiroptical Methods	499
	Bibliography to Part A	534
Part B.	Synthesis of Axially Chiral Compounds	
1.	Allenes	537
2.	Biaryls	567
	Bibliography to Part B	587
Part C.	Synthesis of Chiral Compounds by Bond Disconnection	589
	Bibliography to Part C	644
Part D.	Synthesis of Chiral Compounds by Bond Formation	
1.	Formation of C–C Bonds	
1.1.	Alkylation Reactions	645
1.1.1.	Chiral Nucleophiles	645
1.1.2.	Chiral Electrophiles	1077
1.1.3.	Chiral Additives	1119
1.2.	Insertion into C–H Bonds	1127
	Bibliography to Part D.1.1 - D.1.2	1149
	For Contents to All Volumes see p VII	
	For Detailed Table of Contents to Volume E 21a see p XI	
	For List of Abbreviations see inside back cover	

METHODS OF
ORGANIC CHEMISTRY

METHODS OF ORGANIC CHEMISTRY

(HOUBEN-WEYL)

ADDITIONAL AND SUPPLEMENTARY VOLUMES
OF THE 4TH EDITION

EDITORIAL BOARD

K. H. BÜCHEL · J. FALBE · H. HAGEMANN
LEVERKUSEN DÜSSELDORF LEVERKUSEN

M. HANACK · D. KLAMANN · R. KREHER
TÜBINGEN HAMBURG DORTMUND

H. KROPF · M. REGITZ · E. SCHAUMANN
HAMBURG KAISERSLAUTERN CLAUSTHAL

EDITORIAL OFFICE

J. P. RICHMOND
STUTTGART



GEORG THIEME VERLAG STUTTGART · NEW YORK

VOLUME E 21 a

STEREOSELECTIVE SYNTHESIS

Editors

Günter Helmchen Reinhard W. Hoffmann

Heidelberg / Germany

Marburg / Germany

Johann Mulzer

Berlin / Germany

Ernst Schaumann

Clausthal / Germany

Authors

H. Ahlbrecht G. Bringmann J. M. Brown

Giessen / Germany

Würzburg / Germany

Oxford / England

H. Duddeck

Hannover / Germany

P. Duhamel

Mont-Saint-Aignan / France

C. J. Elsevier

Amsterdam / Netherlands

P. Fey

Wuppertal / Germany

G. Fráter

Zürich / Switzerland

H.-J. Gais

Aachen / Germany

J. Gawronski

Poznan / Poland

W. Hartwig

West-Haven / USA

G. Helmchen

Heidelberg / Germany

H.-E. Högberg

Sundsvall / Sweden

L. S. Liebeskind

Atlanta / USA

W. Lindner

Graz / Austria

G. Maas

Kaiserslautern / Germany

D. S. Matteson

Pulman / USA

J. S. McCallum

La Jolla / USA

J. Mulzer

Berlin / Germany

T. Norin

Stockholm / Sweden

V. Schurig

Tübingen / Germany

G. Solladié

Strasbourg / France

D. F. Taber

Newark / USA

G. Uray

Graz / Austria

P. Welzel

Leipzig / Germany



This book mentions numerous commercial and proprietary trade names, registered trademarks and the like (not necessarily marked as such), patents, production and manufacturing procedures, registered designs and designations. The Editors and Publishers wish to point out very clearly that the present legal situation in respect of these names or designations or trademarks must be carefully examined before making any commercial use of the same. Industrially produced apparatus and equipment are included to a necessarily restricted extent only and any exclusion of products not mentioned in this book does not imply that any such selection of exclusion has been based on quality criteria or quality considerations.

Die Deutsche Bibliothek – CIP-Einheitsaufnahme

Methoden der organischen Chemie / (Houben-Weyl). –

Stuttgart ; New York : Thieme

Teilw. begr. von Eugen Müller und Otto Bayer. – Teilw. begr. von
Eugen Müller ... Fortgef. von Heinz Kropf. – Erw.- und Folgebd. zur
4. Aufl. hrsg. von K. H. Büchel ... – Teilw. u.d.T.: Methods of
organic chemistry

NE: Müller, Eugen [Hrsg.]; Houben, Josef [Hrsg.]; Kropf, Heinz
[Hrsg.]; Büchel, Karl H. [Hrsg.]; Methods of organic chemistry

Additional and suppl. vol. of the 4. ed.

Vol. E 21a. Stereoselective synthesis / ed. Günter Helmchen
... Authors H. Ahlbrecht ... – 1995

NE: Helmchen, Günter [Hrsg.]; Ahlbrecht, Hubertus

Library of Congress Card No.: applied for

Date of publication 24.05.1995

Copyright and all related rights reserved, especially the right of copying and distribution, multiplication and reproduction, as well as of translation. No part of this book may be reproduced by any process, whether by photostat or microfilm or any other procedure, without previous written consent by the Publisher. This also includes the use of electronic media of data processing or reproduction of any kind.

© 1995, Georg Thieme Verlag, Rüdigerstraße 14, D-70469 Stuttgart – Printed in Germany

Typesetting: Konrad Tritsch, Druck- und Verlagsanstalt GmbH, D-97070 Würzburg

Printing: Tutte Druckerei GmbH, D-94119 Salzweg-Passau

ISBN 3-13-219504-9

Preface

There was a time when stereoselectivity of a reaction was mostly of mechanistic interest and reactions that could result in the formation of stereoisomers were considered a nuisance and had to be avoided at best. However, this situation has changed over the past two decades, during which stereoselective synthesis has grown into a reliable methodology. This development began with the remodelling of readily available chiral compounds from nature. More recently, these “ex-chiral-pool” synthetic strategies have been complemented and, in many cases, surpassed by the powerful techniques of asymmetric synthesis.

Originally, only a few laboratories were concerned with the design of routes to enantiomerically pure compounds. Since the demand for nonracemic chiral drugs and pesticides has enormously increased, methods of asymmetric synthesis are now bound to be applied by almost every practising chemist. However, newcomers to the field soon find themselves confronted with a confusing vocabulary, with no guidance as to the appropriate method to solve their problem, and with lack of well-documented procedures. This situation frequently leads to frustration or at least to unnecessary work.

This called for the present volume set of the Houben-Weyl series *Methods of Organic Chemistry*. Since the 1950s Houben-Weyl has served the synthetic community by giving comprehensive critical reviews of the existing synthetic methods in a consistent style and with high reliability. The editors, authors and publisher of Houben-Weyl “Stereoselective Synthesis” have worked together to confer this philosophy to the field of asymmetric synthesis. Thus, we hope to supply a treatise which should become the standard reference in the field.

“Stereoselective Synthesis” gives a comprehensive treatment of chemical transformations in which a new stereocenter is created, i.e., all enantio- and those diastereodifferentiating reactions which allow the absolute and relative configuration of a new stereogenic unit to be controlled. Consequently, mechanism-controlled reactions (e.g. S_N2 displacements), “ex-chiral-pool” syntheses which do not lead to new stereogenic units, and E/Z selective formation of alkenes are not covered.

Following the general introductory chapters covering principles, nomenclature, separation and analysis, the chapters on individual synthetic methods are organized by the type of bond that is broken or formed. Only starting material and products are considered as a basis for the classification, not the reaction mechanism. In the typical Houben-Weyl style, the scope of the most important methods is illustrated with tables of selected examples. Insight into the practical application of the methods can be obtained from the experimental procedures provided.

The wealth of material forced us to break up the work into five volumes (E21a through e). Access to and properties of the common chiral auxiliaries, solvents, reagents and catalysts which are used in various different reactions is covered comprehensively in Volume E 21e avoiding duplication of information in the individual chapters.

The transition of HOUVEN-WEYL from German to English brought about changes in the layout and in the style of presentation without, however, sacrificing the high standard of quality and reliability that is the hallmark of HOUVEN-WEYL.

Special thanks go to our 101 authors who have spent a great deal of time and effort to achieve the goals we have set. We are also indebted to the editorial staff in Stuttgart, who had to cope with the special challenges of editing and publishing a gigantic amount of complex material.

May 1995

Günter Helmchen

Reinhard W. Hoffmann

Johann Mulzer

Ernst Schaumann

Contents to all Volumes

Volume E 21 a

- Part A. General Aspects**
1. **Nomenclature and Vocabulary of Organic Stereochemistry**
 2. **Basic Principles of EPC Synthesis**
 3. **Determination of Enantiomeric Purity**
 - 3.1. Direct Methods
 - 3.2. Formation of Diastereomers
 4. **Determination of Absolute and Relative Configuration**
 - 4.1. Nuclear Magnetic Resonance Methods (Relative Configuration)
 - 4.2. X-ray and Neutron Diffraction Methods
 - 4.3. Chemical Methods
 - 4.4. Chiroptical Methods

Part B. Synthesis of Axially Chiral Compounds

1. **Allenes**
2. **Biaryls**

Part C. Synthesis of Chiral Compounds by Bond Disconnection

Part D. Synthesis of Chiral Compounds by Bond Formation

1. **Formation of C–C Bonds**
 - 1.1. Alkylation Reactions
 - 1.1.1. Chiral Nucleophiles
 - 1.1.2. Chiral Electrophiles
 - 1.1.3. Chiral Additives
 - 1.2. Insertion into C–H Bonds

Volume E 21 b

- 1.3. Addition to Carbonyl Groups (C=O)
 - 1.3.1. σ -Type Organometallic Compounds
 - 1.3.2. Benzyl-Type Organometallic Compounds
 - 1.3.3. Allyl-Type Organometallic Compounds
 - 1.3.4. Enolates
 - 1.3.5. Azaenolates or Nitronates
 - 1.3.6. Metalated Sulfoxides or Sulfoximides

- 1.3.7. Enzyme-Catalyzed Hydrocyanation
- 1.4. Addition to Imino Groups (C=N)
- 1.4.1. σ -Type Organometallic Compounds
- 1.4.2. Allylic and Allenic Organometallic Compounds
- 1.4.3. Enolates and Related Compounds
- 1.4.4. Strecker and Ugi Reactions
- 1.4.5. *N*-Acyliminium Ion Additions
- 1.5. Reactions Involving Olefinic Double Bonds
- 1.5.1. Vinylgous Substitution Reactions
- 1.5.2. Addition to α, β -Unsaturated Carbonyl Compounds (Michael-Type Additions)
- 1.5.3. Addition to Olefinic Double Bonds; Enamines, Nitroalkenes, 4,5-Dihydrooxazoles, α, β -Unsaturated Sulfones, Sulfoxides and Sulfoximines

Volume E 21c

- 1.5.4. Addition of Free Radicals
- 1.5.5. Addition of Carbenium Ions to Olefinic Double Bonds and Allylic Systems
- 1.5.6. Allylic Substitutions Catalyzed by Transition Metal Complexes
- 1.5.7. Hydroboration of Olefinic Double Bonds
- 1.5.8. Addition to Olefinic Double Bonds Catalyzed by Transition Metals
- 1.6. Pericyclic Reactions
- 1.6.1. Cycloadditions
- 1.6.2. Ene Reaction
- 1.6.3. Sigmatropic Rearrangements and Electrocyclic Reactions

Volume E 21d

- 2. Formation of C–H Bonds**
 - 2.1. Protonation of Organometallic Compounds, Enolates and Nitronates
 - 2.2. Radical Reactions
 - 2.3. Reduction of Carbonyl Groups (C=O)
 - 2.3.1. Hydrogenation
 - 2.3.2. Reduction with Metals
 - 2.3.3. Reduction with Metal Hydrides
 - 2.3.4. Hydrosilylation and Subsequent Hydrolysis
 - 2.3.5. Reduction with C–H Hydride Donors
 - 2.3.6. Enzyme-Catalyzed and Biomimetic Reductions
 - 2.4. Reduction of Imino Groups (C=N)
 - 2.5. Reduction of Olefinic Double Bonds
 - 2.5.1. Hydrogenation
 - 2.5.2. Hydroboration and Hydroalumination
 - 2.6. [1,n] Sigmatropic Rearrangements
- 3. Formation of C–Hal Bonds**
- 4. Formation of C–O Bonds**
 - 4.1. Oxygenation of Enolates
 - 4.2. Hydroboration of Olefinic Double Bonds Followed by Oxidation

- 4.3. Hydrosilylation of Olefinic Double Bonds Followed by Oxidation
- 4.4. 1,2-Dihydroxylation of Olefinic Double Bonds
- 4.5. Epoxidation of Olefinic Double Bonds
- 4.6. Cyclization onto Olefinic Double Bonds Forming Lactones and Ethers
- 4.7. Conjugate Addition of *O*-Nucleophiles
- 4.8. Microbial Insertion of Oxygen into C–H Bonds
- 4.9. Allylic Oxidation with Singlet Molecular Oxygen
- 4.10. Allylic Oxidation with Selenium Dioxide
- 4.11. Sigmatropic Rearrangements

Volume E 21e

- 5. Formation of C–S Bonds**
- 6. Formation of C–Se or C–Te Bonds**
- 7. Formation of C–N Bonds**
 - 7.1. Electrophilic Amination
 - 7.2. Addition to Olefinic Double Bonds
 - 7.3. Conjugate Addition of *N*-Nucleophiles
 - 7.4. Allylic Substitution Catalyzed by Palladium Complexes
 - 7.5. Allylic Amination
 - 7.6. Sigmatropic Rearrangements
- 8. Formation of C–P Bonds**
- 9. Formation of C–Si Bonds**
- 10. Formation of C–Sn Bonds**

Appendix Survey of Chiral Auxiliaries, Solvents, Reagents, and Catalysts

Author Index

Subject Index

Compound Index

Table of Contents

Volume E 21 a

Part A.	General Aspects	
1.	Nomenclature and Vocabulary of Organic Stereochemistry	1
	(G. HELMCHEN)	
1.1.	Static Stereochemistry	1
1.1.1.	Symmetry, Properties, Relations, Stereomodels, Stereoisomers	2
1.1.2.	Topologic, Geometric and Topographic Properties, Chirality, Sense of Chirality	3
1.1.2.1.	Fundamentals	3
1.1.2.2.	Illustration of Fundamental Terms by Two-Dimensional Figures, <i>Re/Si</i> , <i>E/Z</i> , and <i>lk/ul</i> Specifications	4
1.1.3.	Stereogenic Units	10
1.1.3.1.	Internal Coordinates	10
1.1.3.2.	Helical and Tripodal Units, Helicity and Configuration	10
1.1.3.3.	Stereogenic Center and Stereogenic Axis	11
1.1.3.4.	Homo- and Heterochiral Similarity	14
1.1.3.5.	Behavior of Stereomodels under Permutations of Groups and Symmetry Operations, “Pseudoasymmetry”	14
1.1.3.6.	Conformation	15
1.1.4.	Chirotopic Atoms, Stereoheterotopism, Prostereoisomerism	17
1.1.4.1.	Fundamentals, Local Symmetry	17
1.1.4.2.	Specification of the Topicity of Stereoheterotopic Groups	18
1.1.4.3.	Prostereogenic Units	20
1.1.4.4.	Chirotopicity and Stereoisomerism	20
1.1.5.	The Cahn–Ingold–Prelog (CIP) System	22
1.1.5.1.	Historical Background	22
1.1.5.2.	Necessary Limitations of the CIP Specification	22
1.1.5.3.	The CIP Algorithm	23
1.1.6.	Metalorganic Compounds	33
1.1.7.	Conformation: Hard (Klyne–Prelog Convention) and Soft Descriptions	35
1.1.8.	Hard and Soft Descriptions of the Relative Configuration of Diastereomers	39
1.1.8.1.	Hard Description	39
1.1.8.2.	Soft Description	40
1.2.	Stereoselectivity and Stereodifferentiation	45
1.2.1.	EPC Synthesis, Asymmetric Synthesis	45
1.2.2.	Selectivity: A Product-Based Classification	47
1.2.2.1.	General Concepts	47
1.2.2.2.	Measures of Stereoselectivity	51
1.2.2.3.	Simple and Induced Diastereoselectivity	53

1.2.2.4.	Substrate-, Auxiliary- and Additive-Induced Stereoselectivity, 1,n-Induction	56
1.2.2.5.	Double and Triple Asymmetric Induction	57
1.2.2.6.	Stereoselective Reactions Proceeding with Destruction of the Inducing Chiral Unit	60
1.2.3.	Izumi-Tai System: A Reactant-Based Classification	64
1.2.3.1.	The Izumi-Tai System	64
1.2.3.2.	Some Equivalent Nonsystematic Terms (Kinetic Resolution, Meso-Trick)	65
1.2.3.3.	Notes on a Nightmare: Stereospecificity	67
1.2.4.	Description of Stereoselective and Stereodifferentiating Reactions	68
1.2.4.1.	General Observations	68
1.2.4.2.	The Seebach-Prelog Description	68
1.3.	Glossary of Problematic Terms and Terms Not to be Used	73
2.	Basic Principles of EPC Synthesis (J. MULZER)	75
2.1.	EPC Synthesis by Optical Resolution	77
2.1.1.	Optical Resolution by Crystallization	77
2.1.1.1.	Direct Crystallization of Enantiomeric Mixtures	77
2.1.1.2.	Crystallization of Partially Resolved Enantiomeric Mixtures	80
2.1.1.3.	Optical Resolution by Crystallization of Diastereomers	81
2.1.1.4.	Optical Resolution by Clathrate Formation	85
2.1.2.	Optical Resolution by Chromatographic Methods	88
2.1.2.1.	Chromatographic Separation of Enantiomers	88
2.1.2.2.	Chromatographic Separation of Diastereomeric Pairs	91
2.1.3.	Optical Resolution with Chiral Economy	91
2.1.4.	Kinetic Resolution	95
2.1.4.1.	Sharpless Resolution	95
2.1.4.2.	Enzymatic Kinetic Resolution of Alcohols and Carboxylic Acids	97
2.2.	Ex-Chiral-Pool Synthesis	104
2.2.1.	Definition and Motivation	104
2.2.2.	Specific Examples	107
2.2.2.1.	D-Glucose as Starting Material	107
2.2.2.2.	Amino Acids as Starting Materials	110
2.2.2.3.	Hydroxycarboxylic Acids as Starting Materials	110
2.3.	Stereoselective Bond Formation	113
2.3.1.	Mechanism-Controlled Transformations	114
2.3.2.	Simple Diastereoselection	115
2.3.3.	<i>exo/endo</i> Selection	119
2.3.4.	Enantioface Selection (Differentiation)	120
2.3.5.	Diastereoface Selection (Differentiation)/1,n-Induction	121
2.3.5.1.	Auxiliary Control	122
2.3.5.2.	Substrate Control	123
2.3.5.3.	Intramolecular Reactions	134
2.3.5.4.	Combination of Diastereoface Differentiating Effects	136
2.3.6.	Thermodynamic Effects on Stereoselective Bond Formation	137
2.4.	Industrial Applications	141
3.1.	Determination of Enantiomeric Purity by Direct Methods (V. SCHURIG)	147
3.1.1.	Overview	147
3.1.1.1.	Definitions	147
3.1.1.2.	Methods of Determining Enantiomeric Purity	148

3.1.1.3.	Accidental Changes of the Enantiomeric Purity	150
3.1.2.	By Chemical Correlation	151
3.1.3.	By Polarimetry	151
3.1.3.1.	Terminology	151
3.1.3.2.	Variation of Optical Rotation	153
3.1.3.3.	Assessment of the Maximum Specific Rotation	155
3.1.3.4.	Magnitude of the Optical Rotation	156
3.1.3.5.	Optical Purity Versus Enantiomeric Purity	156
3.1.3.6.	Precision	156
3.1.3.7.	Use as a Detector Device in Chiral Liquid Chromatography	157
3.1.4.	By NMR Spectroscopy	157
3.1.4.1.	With Chiral Solvating Agents	159
3.1.4.2.	With Paramagnetic Chiral Lanthanide Shift Reagents	159
3.1.4.3.	Precision and Accuracy	164
3.1.4.4.	Practical Recommendations	164
3.1.4.5.	Analysis of Chiral Deuterated Compounds	167
3.1.4.6.	Substrate Derivatization	167
3.1.4.7.	In the Absence of Chiral Auxiliary Compounds	168
3.1.5.	By Gas Chromatography	168
3.1.5.1.	Via Hydrogen Bonding with Modified Amino Acids	169
3.1.5.2.	With Metal Coordination Compounds	173
3.1.5.3.	With Modified Cyclodextrins	175
3.1.5.4.	Precision	179
3.1.5.5.	Sources of Error	179
3.1.5.6.	Temperature Effect on Enantiomer Separation	182
3.1.5.7.	Practical Recommendations	182
3.1.5.8.	Applications	182
3.1.5.9.	Enantiomer Labeling Method	187
3.1.5.10.	Comparison of the Accuracy of NMR-Spectroscopic and Gas-Chromatographic Methods	187
3.1.6.	Chiral Liquid Chromatography	193
	(W. LINDNER)	
3.1.6.1.	Chiral Phases Based on Polymers of Natural Origin	196
3.1.6.2.	Chiral Stationary Phases (CSPs) Based on Synthetic Polymers	204
3.1.6.3.	Silica Modified in a "Brush-Type" Manner with Chiral Molecules	209
3.1.6.4.	Enantioseparation via Chiral Additives to Mobile Phase or Running Buffer	218
3.1.6.5.	Summary	221
3.2.	Determination of Enantiomeric Purity via Formation of Diastereomers	225
3.2.1.	Chromatographic Methods	225
	(W. LINDNER)	
3.2.1.1.	Applications of Chiral Derivatizing Agents (CDAs)	237
3.2.1.2.	Indirect Enantioseparation on a Preparative Scale	245
3.2.1.3.	Considerations and Limitations of Indirect Enantioseparation Techniques	245
3.2.2.	Nuclear Magnetic Resonance Methods	253
	(G. URAY)	
3.2.2.1.	Mosher Type Reagents for Alcohols and Amines	253
3.2.2.2.	Other Carboxylic Acids Similar to Mosher's Acid as Derivatizing Reagents	263

3.2.2.3.	Other Reagents for Alcohols, Amines, Amino Alcohols, Amino Acids and Diols	267
3.2.2.4.	Determination of Enantiomeric Purity of Chiral Aldehydes	278
3.2.2.5.	Determination of Enantiomeric Purity of Chiral Ketones Using ^{13}C -NMR Spectroscopy of Their Diastereomeric Cyclic Acetals	281
3.2.2.6.	Analysis of Carboxylic Acids	282
3.2.2.7.	Analysis of Phosphanes	285
3.2.2.8.	Induction of Chemical Shift Nonequivalence	288
3.2.2.9.	Solvent, Temperature Effects and Accuracy of the NMR Methods	289
4.	Determination of Absolute and Relative Configuration	293
4.1.	Determination of Relative Configuration by Nuclear Magnetic Resonance Methods	293
4.1.1.	(H. DUDDECK) Use of Nuclear Magnetic Resonance Parameters as Probes for the Determination of Relative Configuration	294
4.1.1.1.	Chemical Shifts and Substituent Effects	296
4.1.1.2.	Spin-Spin Coupling: Coupling Constants ($J_{x,y}$); Two-Dimensional J , δ - and δ,δ -Spectroscopy	303
4.1.1.3.	Dipolar Coupling: Relaxation Times, Nuclear Overhauser Effect (NOE), NOESY	313
4.1.1.4.	NMR in the Presence of Auxiliary Reagents	315
4.1.2.	Double-Bond Diastereomers (Geometrical Isomers)	318
4.1.2.1.	Ethene Derivatives ($\text{C}=\text{C}$)	318
4.1.2.2.	Imine Derivatives ($\text{C}=\text{N}$)	324
4.1.2.3.	Thial S-Oxides ($\text{C}=\text{S}$)	327
4.1.2.4.	Phosphaalkenes ($\text{C}=\text{P}$)	327
4.1.3.	Acyclic Aliphatic Diastereomers	327
4.1.3.1.	Transformation into Cyclic Derivatives by Chemical Methods	329
4.1.3.2.	Diastereomers Stabilized by Hydrogen Bond Formation	329
4.1.3.3.	Diastereomers Without Stabilizing Hydrogen Bonds	337
4.1.3.4.	Symmetrical Acyclic Diastereomers	343
4.1.3.5.	Use of Auxiliary Reagents	344
4.1.4.	Cyclic Diastereomers	345
4.1.4.1.	Three-Membered Rings	345
4.1.4.2.	Four-Membered Rings	349
4.1.4.3.	Five-Membered Rings	353
4.1.4.4.	Six-Membered Rings and Related Systems	357
4.1.4.5.	Miscellaneous Ring Sizes, Polycyclic Systems	362
4.2.	Determination of Absolute and Relative Configuration by X-ray and Neutron Diffraction Methods	379
4.2.1.	(G. MAAS) Determination of Relative Configuration by X-ray Diffraction Methods	379
4.2.2.	Determination of Absolute Configuration	380
4.2.2.1.	Based on Anomalous Dispersion of X-rays	380
4.2.2.2.	By Multiple-Scattering Experiments	391
4.2.2.3.	Assignment by “Internal Comparison”	392
4.2.3.	Determination of Absolute and Relative Configuration by Neutron Diffraction Methods	394
4.2.4.	Published Absolute Configurations	395