

## Index

### a

- A. diadematus* 80, 82, 85
- abalone shell 316
- acellular double-layered skin
  - construct 98
- acidic polypeptide additives 336
- aciniform silk 77
- acrylamide 286
- actin–myosin interactions 194
- actomyosin 168
- actomyosin contractility 168
- Adenocystis utricularis* 12
- adhesives suitable for medical
  - applications 273
  - barnacles 279–280
  - bio-inspired synthetic adhesive polymers 284–288
  - brown algae 280–281
  - mussels 274–278
  - recombinant forms of 281–284
  - tube worms 278–279
- adsorptions on PS surfaces 249–250
- alcohol dehydrogenase (ADH) 465
- alginate 8–9, 496
- alginate hydrogels 14
- aligned collagen hydrogels 68
- alkaline phosphatase (ALP) 4
- Alloderm<sup>®</sup> 55
- Al<sub>2</sub>O<sub>3</sub> gel 338
- amino acid 3,4-dihydroxyphenylalanine (DOPA) 5
- amino acids 160
- ampullate silk 77, 79
  - ADF-3 and ADF-4 80
  - regeneration of silk fibers from 83
  - toughness of major 82
- angiogenesis 46
- anion–π interactions 125
- anterior cruciate ligament fibroblasts (ACLFs)
  - adhesion 85
  - (antibody-Trx)–(Trx-ELP) complex 47
- antigens 118
- antimicrobial-functionalized protein-based biomaterials 81
- apatite formation at surfaces 344–345
- apatite nucleation 338
  - surface charge and 338–339
- apatite–polymer fiber composite 341
- Apligraf<sup>®</sup> 67, 98
- APMA/acrylamide copolymer 287
- aqueous homogeneous gelation 439
- Arabidopsis thaliana* 80
- aragonite tiles 299
- arginine-glycine-aspartic acid (RGD) tripeptide 174
- articular cartilage
  - histology 515–517
  - spontaneous and forced regeneration in 517
  - tissue engineering approach to regeneration 517–518
- artificial protein, biosynthesis of 102
- aryl ether dendrimers 464
- Asperities 307
- atelocollagen solutions 65
- ATT-clay-reinforced PMMA nanocomposites 371
- autologous bone material, harvesting of 69
- autologous chondrocyte transplantation (ACT) 70
- avidity 128
- A-W glass-ceramic 338
- azobenzene dendrimers 435

**b**

- bacterial protein expression 101
- barnacles 279–280
- base pairing 140
- Belousov–Zhabotinsky reaction 428
- BGNF-COL nanocomposite 363
- bihydrogenophosphate ( $-\text{PO}_4\text{H}_2$ ) group 338
- binding event 123
  - avidity and cooperativity among receptors 128
- bioactive ceramics 337–338
- bioactive glasses 315, 338
  - nanoscale 356–363
  - natural polymer 360–363
  - synthetic polymer/nanoparticulate 357–360
- bioactive glass nanoparticles 4
- bioactive nanocomposites 315
- bioactive silicate glasses 353
- bioadhesive peptides 174–175
- biodegradable amphiphilic block copolymers 499
- biodegradable hydrogels for cell invasion 41–43
- biodegradable polymers 353
- Bioglass<sup>®</sup> 16, 315–338, 356
- bioinspired adhesives 259
  - future of 270
  - for wet conditions 268–269
- bio-inspired materials 417
- bio-inspired materials synthesis 315
- bio-inspired synthetic adhesive polymers 284–288
  - based on polysaccharides 285–286
  - DOPA based 286–287
- biologicalmarine adhesives 273
- biologicalmolecular recognition 118
- biomimetic adhesives 274
- biomimetic apatite nanocrystals
  - biomedical application of 390–394
  - bisphosphonates, adsorption and release of 406–409
    - in drug delivery systems 394–397
    - drugs, adsorption and release of 397–402
    - properties of 384–386
    - proteins, adsorption and release of 402–406
    - synthesis of 386–390
- biomimetic materials synthesis 315
- biomimetic protein-engineered hydrogels
  - biodegradable hydrogels for cell invasion 41–43
    - cell–cell binding domains 45–46
    - cell–ECM binding domains 43–45
      - delivery of soluble cell signaling molecules 46–48
      - immobilization of bioactive factors into and onto hydrogels 47
      - incorporating bioactive ligands in amino acid sequence 43–44
      - mechanical properties for cellular response 40–41
        - in regulating cell behavior 43–48
        - release of VEGF 47
- biomimetic receptive materials 140–141
- biomimetics 3
- biomimetism 94
- biomineralization process 314
- biomineralization strategies 336–337
- biosensing surfaces 108
- biotin 180
- biotin–avidin linkages 226
- bisphosphonates, adsorption and release using nanocrystals 399, 406–409
- block copolymer micelle lithography (BCML) 217–219
- blood platelet adhesion and surface wettability 251
- Bombyx mori* silk 75–77, 85
  - disulfide linkage between light- and heavy-fibroin chains 76
  - formation of P25/heavy-chain/light-chain complex 77
  - sericins 77
  - Takahashi’s model 76
- bone 3
  - carbonated hydroxyapatite (HA) alignment of 334
    - cell behavior at nanoscale 356
    - deformation in response to external tensile load 300
      - human 353
      - mineralization of 335
    - multilevel hierarchical structural design of 295–296
      - as a nanocomposite 354–356
      - nanometer-sized crystals of carbonate apatite 295
        - natural mineralized composite of 333
        - from osteoblasts 334
          - repair using collagen 69
          - tissue engineering 16
  - bone bonding of materials 337–338
  - bonelike apatite formation on bioactive ceramics 340
  - bone marrow stem cells (BMSCs) 85
  - bone morphogenetic protein (BMP) 361

- bone morphogenetic protein-2 (BMP-2) 47, 86
- bone morphogenetic protein (BMP) growth factors 398
- bone morphogenic protein (BMP) 476
- bone sialoprotein (BSP) 4, 86
- bottom-up approach 217, 320–322, 327–328
- bovine capillary endothelial (BCE) cells 176
- bovine spongiform encephalopathy (BSE) 9
- Broussignac process 7
- brown algae 280–281
- C**
- cadherins 46
- calcium alginate 17
- calcium alginate/chitosan 17
- calcium carbonate 4, 16, 353
- calcium phosphate (bioactive) ceramic 353
- calcium phosphate coatings for orthopedic and dental implants 391
- calcium phosphates (CaP) 16, 314
- calixarenes 134, 137–138
- Ca(OH)<sub>2</sub> treatment 341
- carbohydrate-binding proteins 461
- carbohydrates 142–143
- carbonate–HA nanocrystals 384, 387–388
- carbon nanotube (CNT) 261
- carboxyl (–COOH) group 338
- carboxylic acid 335
- carboxymethylchitosan (CMCht) 462
- carrageenan hydrogels 14
- carrageenans 9, 17
- cartilage 10
- cartilage engineering
- autologous chondrocyte implant (ACI) technique 521
  - effect of growth factor 528
  - role of scaffolding materials 524–528
  - tissue engineering approach to regeneration 517–518
  - using autologous chondrocytes 521–524
  - using autologous mesenchymal stem cells 520–521
  - using bone marrow mesenchymal cells 519–520
- cartilage repair using collagen 70
- Cassie–Baxter model of surface wettability 240, 251
- cationic dendrimers 464
- cationic polyelectrolyte compounds 496
- cation– $\pi$  interactions 124–125
- cell adhesion 166–167
- cell-adhesion resistant bovine serum albumin (BSA) 178
- cell–cell binding domains 45–46
- by cadherins 46
  - by Ig superfamily proteins 46
  - by selectins 45–46
- cell–ECM binding domains 43–45
- interactions with biomaterials 215
- cell interfaces, biomimetics of
- cell responses to nanostructured materials 227–233
  - dimensionality aspects 223–224
  - interligand spacing on a surface 221–222
  - ligand density 222–223
  - linking systems 226–227
  - nanofeatures, importance of 220–221
  - substrate mechanical properties 223
  - surface patterning technique 216–219
  - variation of surface physical parameters at the nanoscale 219–224
- cell-mediated FN fibrillogenesis 189–190
- by adsorption of FN 201
  - by applying mechanical tension to FN 198
  - by applying shear forces to an FN solution 200
  - cell-free routes to induce 195–202
  - high-resolution SEM images of 199
  - importance of molecular unfolding 197
  - surface-induced FN fibrillogenesis 201–202
- cell-responsive hydrogels 41–42
- cell-sheet-based tissue engineering 183
- Cell-Tak™ 274, 282–283
- cellular communication
- host responses 170
  - integrin-mediated signaling 166–167
  - intercellular 165–166
  - intracellular 164–165
- cellular fibronectin (cFN) 190
- cement 279–280
- Ceravital® 338
- chelation 135
- chemically cross-linked hydrogels 444–447
- chemical sensing, using biomimetic receptive material 118
- chemomechanics of hard biomaterials 297
- chi/MMT/HAP composite 368
- Chinese hamster ovarian (CHO) cells 44
- chi/PgA scaffolds 369
- chitin 296
- difference between chitosan and 6
  - isolation method of 7
  - scaffolds 15
- $\beta$ -chitin 8
- chitin–chitosan scaffolds 16
- $\beta$ -chitin fibrils 317

- chitin/nanosilica composite scaffolds 365
  - $\alpha$ -chitin/sol-gel-derived BGC nanoparticle 361
  - chitosan 4, 6–8, 321, 323, 343, 497
    - commercial production methods 7–8
    - deacetylation degree of 6
    - difference between chitin and 6
    - in drug delivery systems 17
    - hydrogels 13
    - scaffolds 15
  - chitosan-based membranes 13
  - chitosan (chi)/ MMT/hydroxyapatite (HAP) nanocomposite 367
  - chitosan- $\beta$ -glycerophosphate salt formulation 363
  - chitosan—hydroxyapatite system 16
  - chitosan-NIPAAm 444
  - chitosan/sol-gel-derived BGC nanoparticle composite scaffolds 361
  - 2-chloro-DOPA residues 278
  - chondrocytes 70
  - chondroitine-6 sulfate 65
  - chondroitin sulfate 11, 15
  - chondroitin sulfate (CS) polysaccharide 510
  - Chondrosia reniformis* 10
  - Chondrus* 9
  - CH- $\pi$  stacking interactions 138
  - Christmas tree-like compounds 459
  - $\alpha$ -chymotrypsin 250
  - cisplatin 409
  - clathrates 134
  - CMChT/PAMAM dendrimer nanoparticles (NPs) 462
  - coacervates 279, 284
  - collagenase target–PEG hydrogel 42
  - collagen/chitosan composite hydrogels 14
  - collagen hydrogels
    - aligned 64
    - from atelocollagen 63
    - category II 63–65
    - chemical cross-linking 62
    - classical 59–61
    - concentrated 61
    - cross-linked 62–63
    - dense matrices of 61–62
    - enzymatic cross-linking 62–63
    - extruded collagen fibers 65
    - from plastic compression 61
    - collagen–mineral interactions, nature of 335
  - collagens 9–10, 190
    - bone repair using 69
    - cartilage repair using 70
    - conduits 68
    - fibrillogenesis 56–57
    - fibrils 5
    - from fish skins 10
    - interactions of cells with 57–58
    - intervertebral disk degeneration and 69–70
    - multichannel conduits 66
    - multi-channeled collagen–calcium phosphate scaffolds 66
    - nerve repair using 68
    - networks in connective tissues 57
    - porcine products from 10
    - skin repair using 66–67
    - sponges 65–66
    - structure 56
    - tendon repair using 68
    - tissues mimicked by 66–70
    - *in vitro* 59
  - COL/NBG composites 362
  - complex coacervation 279
  - concatemerization 102
  - contact angle on a surface 162
  - contact splitting principle 261
  - cooperativity among receptors 128
  - core–shell polymerization 443
  - covalent-based imprinting 132
  - covalently cross-linked protein hydrogels 38–39
  - covalent self-assembly model biomaterials 320–322
  - cp-19k protein 283
  - cp-20k protein 283
  - cross-linked collagen sponges 67
  - crown ethers 134
  - cryo-high-resolution scanning electron microscopy (cryo-HRSEM) 196
  - cryptophanes 134
  - crystallization mushroom 387
  - CS5 domain 44
  - cyclotrimeratrylenes 134
  - cylindriform silk 77
- d**
- D-banded fibrils 65
  - deacetylation methods 7
  - Delite<sup>®</sup> HPS bentonite nanoclay 369
  - dendrimeric macromolecules 460
  - dendrimers 459–460
    - biomimetic/bioinspired materials 460–461
    - as biosensors 465
    - drug delivery systems 461–463
    - gene delivery systems 463–465
    - technology for theranostics 466–467
  - dendriplexes 464

- dendronized polymers 462
- dermis 98, 537–538
- Dex-loaded CMChT/PAMAM dendrimer NPs 463
- 2,4-dichlorophenoxyacetic acid 443
- 3,4-dihydroxyphenylalanine (DOPA) 277
  - containing adhesive proteins 259, 268
  - DOPA-modified block copolymers 287
  - DOPA-modified PMMA-PMAA-PMMA membrane 287
  - DOPA-modified poly(ethylene glycol)s (PEGs-DOPAs) 5
  - DOPA-quinone cross-links 287
  - DOPA-quinones 277
- 3-(4,5-dimethoxy-2-nitrophenyl)-2-butyl ester (DMNPB) 178
- 4,4-diphenylmethane diisocyanate (MDI) 369
- dip-pen nanolithography 216, 233
- direct-write lithographic technique 216
- display techniques, evolutionary 146–150
- $\beta$ -D-mannuronic acid 8
- DNA-modified nanoparticles 48
- dopamine methacrylate (DMA) 286
- doxorubicin 107, 438
- dragline silk 77
- drug delivery systems
  - stimuli-responsive nanostructures and nanostructured networks 428–449
  - stimuli-sensitive materials 419–428
- drugs, adsorption and release using nanocrystals 397–402
- DTT-induced multimerization process 195–196
  
- e**
- E-cadherin 46
- EDC/NHS-cross-linked BG-COL-HYA-PS composite scaffolds 361
- E-isomer 181
- elastin-like macromolecules 94
  - applications as biomaterial 97–99
  - characteristics of 95–96
  - content of elastin in skin and ligament 94
  - elastin gene 94–95
  - elastin-like recombinamers 99–110
  - elastogenesis and associated disorders 97
  - nature-inspired biosynthetic elastins 99–103
  - skin repairs 97–98
  - in vascular constructs 98–99
- elastin-like polymers (ELPs) 93
- elastin-like recombinamers (ELRs) 93
  - biocompatibility feature of 103
  - biosynthesis of 100–101
  - cross-linked matrices of 100
  - in drug delivery systems 106–108
  - ELR-based amphiphilic block copolymers 107
  - ELR-REDV sequence 104–105
  - from *Escherichia coli* strains 101
  - formation of secondary structures 102–103
  - general properties 99–100
  - lysine-containing 108
  - RGD-containing 109
  - self-assembly properties of 109–110
  - surface engineering 108–110
  - tissue-specific properties of 104–106
  - triblock-ELR copolymer 107
  - use of, modified with polyethyleneimine (PEI) or polyacrylic acid (PAA) 109
- elastogenesis 97
- electrical potential of a material 162
- electrochemical off switching 179–181
- emerging technologies in biomaterials
  - electrochemical desorption methods 176–178
  - electrochemical off switching 179–181
  - oxidative release mechanism 177–178
  - photoactivation method 178–179
  - photobased desorption methods 178
  - reversible photoactive switching 181–182
  - reversible temperature-based switching 182–184
- emphysema 97
- Engelbreth-Holm-Swarm tumors (EHS-LAM) 198
- engineering biomolecular materials
  - peptides 146–150
  - periplasmic binding protein superfamily 150
  - phosphate-binding protein 150
  - trinitrotoluene 150
  - *in vitro* selection of RNA/DNA aptamers 144–146
- enzyme field effect transistor (ENFET) 465
- epidermis 97, 537–538
- ERK/MAPK signaling pathway 232
- Escherichia coli* 79–80, 281, 283, 449
  - *E. coli* signal peptide (OmpASP) 282
  - *E. coli* S-30 *in vitro* system 148
  - ELRs from 101
  - phage library expression in 147–148
- 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide (EDC) 361
- ethylene-vinyl alcohol (EVOH) polymer 341
- Euprostenops australis* dragline silk 83

- expanded poly(tetrafluoroethylene) (ePTFE) 98
- ex situ* gelation 506
- extracellular matrix (ECM) 93, 354, 473, 515
- assembly of FN in 190
  - cell–material interactions 160
  - function of 159
  - interaction between components 159
  - nanoscale ECM molecular organization 214
  - secreted by bone-lining cells 213
  - sensitivity of cells and 213
  - structural elements within 160
  - structure of 159
  - surface functionalization for controlled presentation of 224–227
- extruded collagen fibers 65, 68
- f**
- F-fucoidan 12
- fibrillin-1 97
- fibrillogenesis 56–57
- fibrillogenesis *in vitro* 59
- fibrils with 3D contact shapes 262–263
- fibroblast growth factor7 (FGF7) 98
- fibroblast growth factor 10 (FGF10) 476
- fibroins 3 and 4 (ADF-3 and ADF-4) 77
- fibronectin (FN)
- amyloid fibril formation and 197
  - C-terminus of FN molecule 192
  - domains of assembly 192–194
  - EIIIA and EIIIB modules 191
  - enrichment 198
  - FN–FN interaction on the PEA substrate 206
  - FN–FN interactions 192, 195
  - formation of FN network on PEA 203–206
  - globular FN molecules 198
  - heparin-induced FN precipitation 196
  - 70 kDa amino-terminal domain of 192, 203
  - potential integrin binding sites in 193
  - reduction by dithiothreitol (DTT) 195
  - and regulation of matrix assembly 194–195
  - repeating modules of 191
  - RGD motif of 192–193
  - structure 190–192
  - $\alpha_v$ -class-produced 193
- flagelliform silk fiber 77
- Floridean starch 9
- Flory–Huggins solution theory 131
- fluorescein isothiocyanate (FITC) 466
- fluorophore-labeled glutamine binding proteins (QBPs) 108
- focal adhesion (FA) 466
- focal adhesion kinase (FAK) 232
- fp-151-RGD 282–283
- Fréchet-type dendrimers 459
- freeze-drying–particle leaching method 15
- freeze-drying technique 7
- of a collagen solution 65–66
- fucoidan 12
- biologic properties 12
- Fucus serratus* 280–281
- g**
- Ga-cross-linked alginate films 362
- gallium-cross-linked alginate/nanoparticulate BG composite films 362
- Gecko's adhesive pads 259
- Gecko's dry adhesion mechanism 259–261
- gelatin 10
- gelatin/montmorillonite–chitosan (Gel/MMT–CS) nanocomposite scaffold 367
- gelatin/NBG nanocomposite scaffolds 361
- gelling property of carrageenans 9
- Gigartina* 9
- glass–ceramic nanoparticles 315
- glassy carbon electrode (GCE) surface 465
- glycosaminoglycans (GAGs) 5, 191, 515
- 1–4 glycosidic bonds 8
- G monomers 8
- gold nanoparticle patterns on hydrogels 219
- G-protein-coupled odorant receptors 118–119
- G-protein-coupled receptors 144
- grafting-from approaches 172
- grafting of stimuli-responsive polymers 447–449
- grafting-to approaches 172
- green algae 11
- green solvents 15
- h**
- HA-loaded Pt complexes 402
- HA–Mb interaction mechanism 406
- hard biomaterials
- atomistic modeling framework 304–306
  - bioengineering of 306–308
  - biomimetics of 306–308
  - bone 298
  - chemomechanics of 297
  - chemomechanics of the organic–inorganic interfaces 297
  - general mechanical performance 295
  - nacre 299
  - propagation of crack 299

- role of interfaces 299–301
  - tension shear chain model (TSC) 302–304
  - toughness and strain-hardening behavior of 297
  - heavy-chain fibroin 76
  - hepatocarcinoma (HepG2) cells 478
  - hepcidin 81
  - hernias 97
  - heterocalixaromatics 140
  - heterogeneity of a material 162
  - hierarchical structures 265–266
  - high-throughput analysis 252–253
  - honeycomb worms 278
  - host–guest chemistry 123, 126, 135, 140
    - case of lock and key binding 119–120
    - induced fit mechanism 120–121
    - pioneering works 119
    - preexisting equilibrium model (PEEM) 121
  - HSA adsorption on needle-shaped (HAnS) 405
  - human cervical carcinoma cells (HeLa) 402
  - human mesenchymal stem cells (hMSCs) 364
  - human periodontal ligament fibroblast (HPDLF) cells 362
  - human plasma fibronectin (HFN) 249–250, 252
  - human serum albumin (HSA) 249–250, 252
  - human umbilical vein endothelial cells (HUVECs) 44, 482
  - hyaline cartilage 515
  - hyaluronic acid (HA) 10–11, 283, 504
  - hyaluronic acid (HA) hydrogels 481
  - hybrid atelocollagen II/GAGs hydrogels 69
  - hydrogel engineering
    - assembly of engineered hydrogel blocks 485–488
    - biochemical cues 480–481
    - cell–cell interactions 482–483
    - combination of multiple cues 483–484
    - gradient hydrogels 483–484
    - mechanical cues 478–480
    - PEGDA hydrogels at themicroscale 483
    - structural cues 477–478
  - hydrogels 13–15, 173–174
    - to activate cells 510
    - application in biomedicine 508–511
    - cell encapsulation in 510
    - chemically cross-linked 444–447
    - engineering strategies for development of 506–508
    - from marine-based polymers 14
    - natural vs synthetic 503–505
    - pH-responsive 444
    - poly(ethylene glycol) diacrylate (PEGDA)/laponite nanocomposite (NC) 371
    - poly(ethylene glycol) (PEG) 477
    - poly(*N*-tertbutylacrylamide-co-acrylamide/maleic acid) 445
    - properties of 505–506
    - role in *in situ* for specific applications 510
    - surface wettability and substrate preparation 254
    - temperature-responsive 444
  - hydrogen bonding 124
  - hydrophilic–lipophilic balance (HLB) 431
  - hydrophobic domains 161
  - hydrophobic interactions 125
  - hydroxyapatite (HAP) 296–299
  - hydroxyapatites (HAs)
    - carbonate-substituted 384, 387–388
    - ceramics 353, 388
    - chemical conversion from wood to porous 389–390
    - cocrystallization of 387
    - nanocrystalline 387
    - properties 383
    - well-crystallized vs biomimetic 384
  - hydroxycarbonate apatite (HCA) layer 338
  - hydroxyethyl methacrylate (HEMA)
    - cross-linked with ethyleneglycol dimethacrylate (EDMA) 507
  - hypodermis 537–538
- i**
- immobilization binding sites 48
  - implantable drug delivery system (IDDS) 395
  - implant surfaces, self-assembling biomaterials on 345–348
  - imprint lithography 252
  - inert linkers 226
  - in-situ*-forming scaffolds
    - by electrostatic interaction 496–497
    - by hydrophobic interactions 497–499
    - immune response of 500
    - for organ regeneration 501
    - for preclinical regenerative medicine 500–501
  - in situ* gelation 506
  - in situ* self-assembly method 345–348
  - Integra 67
  - Integra® DPT 98
  - integrin clustering 167

- integrin-mediated cell adhesion 166–169
  - focal adhesion (FA) components 167
  - and host responses 170
  - integrin–FN adhesion 168–169
  - model systems for controlling 170–171
- intervertebral disk 69
- intervertebral disk degeneration, repairing of 69–70
- inverse temperature transition (ITT) 100
- Invista Dacron® 98
- in vivo* peptide screening systems 148
- isothermal titration calorimetry (ITC) 127
  
- k**
- 70 kDa amino-terminal region of FN 192, 203
- keratinocytes 65, 97
- Kurita process 7
  
- l**
- lactodendrimers 462
- lactoferrin 403
- β-lactoglobulin 250
- lamellar architecture 4
- Langerhans cells 97
- Langmuir–Blodgett (LB) films 345
- layer-by-layer (LbL) assembly methodology 323–324
  - of preformed polymers 436–438
- layer-by-layer (LbL) technique 4
- α-L-guluronic acid 8
- linking systems for biomimetics 226–227
- Lipofectamine™ 283
- L-lactic acid 346
- L-lysine dendron 346
- loaded scaffolds containing bioactive molecules, development of 15
- lower critical solution temperature (LCST) 100, 182
- Lustrin A 307
- lysozyme 250
  
- m**
- macrocycles 135
- macrocyclic host systems 134–135
- macroporous monoliths 439
- magnetic microbeads 488
- major ampullate spidroin protein 1 and 2 (MaSp1 and MaSp2) and 77
- Marfan's syndrome 97
- marine-based tissue engineering approaches
  - hydrogels 13–15
  - tridimensional porous structures 15–17
    - using materials in particulate form 17–18
    - using membranes 12–13
- marine biomimetic approach 4
- marine-origin biopolymers
  - alginate 8–9
  - carrageenans 9
  - chitosan 6–8
  - chondroitin sulfate 11
  - collagen 9–10
  - fucoidan 12
  - hyaluronic acid 10–11
  - ulvan 11–12
- marine-origin polyanions 13
- marine sponge collagen particles 18
- material bionics 315
- material driven FN fibrillogenesis 202–210
  - biological activity of 206–210
  - physiological organization of fibronectin at the material interface 203–206
- materials in particulate form 17–18
- matrix metalloproteinase (MMP)-responsive PEG hydrogels 481, 509
- matrix metalloproteinases (MMPs) 41
- maturation process 386
- MC3T3-E1 adhesion 250
- MC3T3-E1 cells 363
- Megabalanus rosa* 276, 280
- melanocytes 97
- mesoporous silica nanoparticle (MSNP) 364
- metal–ligand chelates 278
- metalloporphyrins 134, 138–139
- methicillin-resistant *Staphylococcus aureus* (MRSA) biofilms 448
- methotrexate (MTX) 400, 466
- methyl ether poly(ethylene glycol)-*b*-poly(̂-amino ester) 430
- methylmethacrylate (MMA) functional monomers 443
- MG-63 cells 362
- micelles 429–432
- Michael-type addition reaction 488
- microelectronics 252
- microengineering geometries 477
- microfabrication masking techniques 252
- microfluidic-based assembly 485
- microfluidics 252
- micropatterning 109
- microscopic polymer-rich droplets 438
- Millepora dichotoma* 17
- mineralized collagen fibrils (MCFs) 298
- mineralized natural composites, characteristics of 313–314
- MMP-sensitive-PEG hydrogel 42



- modular tissue engineering 485
- molecular-imprinting-based biomimetic sensors
  - brief history 129
  - inherent problem with MIP 133
  - molecularly imprinted polymer (MIP) 129
  - polymer matrix design 130–131
  - practical use of MIPs 133
  - removal of template from MIPs 132–133
  - strategies for forming MIP 129–132
  - use of metal complexes and covalent imprinting techniques 133
- molecularly imprinted polymer (MIP) 129
  - inherent problem with 133
  - polymer matrix design 130–131
  - polyurethane-based 132
  - practical use of 133
  - removal of template from 132–133
  - strategies for forming 129–132
  - use of metal complexes and covalent imprinting techniques 133
- molecular recognition events
  - biomimetic surfaces for 121–123
  - covalent template–monomer complex 130
  - formation of template–monomer complexes 131
    - foundation of 123
    - Gibbs free energy and 127
    - host–guest interactions and 128
    - kinetic rates of association and dissociation of binding constant 127
    - merits 127–128
    - noncovalent interactions 123–125
    - protein–protein interactions and 128
    - self-assembly approach for forming 129–131
    - strengths of representative bonds and interactions in 125
    - thermodynamics of 125–127
- molecular self-assembly method 345–348
- mollusk shell 314
- mollusk shells 4
- monoacryloxyethyl phosphate (MAEP) 286
- montmorillonite 322
- montmorillonite MMT 364
- mouse calvarial preosteoblastic MC3T3-E1 347
- MPEG-PAE micelles 431
- mRNA display 149
- MSC-laden alginate microspheres 485
- multi-channeled collagen–calcium scaffolds 66
- multiresponsive drug delivery system, prototype 445–447
- muscle 5
- mussel adhesive proteins (MAPs) 5, 275–278
- mussels 274–278
- mutable collagenous tissue (MCT) 5
- myoglobin (Mb) 403
- Mytilus* 275–276
- n**
- Na/Ca montmorillonite 326
- nacre 4–5
  - calcium phosphate layer of 315
  - characteristics of 315
  - covalent self-assembly model biomaterials 320–322
    - fracture toughness of 318
    - hierarchical structural design of 297
    - inelastic deformation attributed to 319
    - mechanical properties of 317–320
    - nacreous aragonite layer (N) of 316
    - nanolaminates based on 320
    - organic fraction of 318
    - organization of aragonite tablets and organic material 300
    - prismatic calcite layer (P) of 316
    - role of the organic fraction 319
    - structure of 316–318
    - toughness of 299, 318–320
- nacre-inspired biomaterials, techniques for
  - bottom-up approach 327–328
  - electrophoretic deposition in nacrelike composite films 322–323
  - freeze-casting 326
  - layer-by-layer (LbL) assembly methodology 323–324, 328
  - polymer-induced liquid precursor layer formation 328
  - spin-coating LbL assembly methodology 324
  - template inhibition technique 325
- nacrelike chitosan–montmorillonite bionanocomposite films 322
- N*-(3-aminopropyl) methacrylamide hydrochloride (APMA) 286, 448
- nanocarriers 466
- nanoclays 365–372
- nanocomposite morphology 321–322
- nanocomposite systems 354
- nanoscale printing 216–217
- nanoimprint lithography 217
- nanoindentation of collagen fibrils 213
- nanoparticulate BG/PLLA composites 359
- nanoscale bioactive glasses (NBGs) 356–363
- nanoscaled silica 363–365

- nanostructured materials, cell responses to  
 – cell adhesion and migration 228–230  
 – cell–cell communication 230–231  
 natural *vs* synthetic biomaterials 94  
 Nb–OH 338  
*Nephila clavipes* 77, 81–83  
 nerve growth factor (NGF) 47  
 nerve guidance conduits 68  
 nerve repair using collagen 68  
 Neuragen® 68  
 NeuraGen™ 66  
 neutrophil defensins (2 HNP-2 and 4 HNP-4)  
   81  
 N-hydroxysuccinimide (NHS) 361  
 nickel-nitilotriacetic acid (Ni-NTA) 226  
 NIH-3T3 fibroblasts 483  
 1-(2-nitrophenyl)ethyl-5-trichloro  
   silylpentanoate (NPE-TCSP) 178  
 nitroveratryloxycarbonyl (NVOC)-protected  
   hydroquinone-terminated SAM 178  
 nonapatitic crystallographic sites 385  
 nonconventional nanolithography 216–217  
 noncovalent interactions 123, 161  
 nonsteroidal anti-inflammatory drugs  
   (NSAIDs) 449, 463  
 NP degeneration 69
- o**
- oligo(ethylene glycol)methacrylate (OEGMA)  
   172  
 oligoethylene-glycol (OEG)-terminated thiol  
   SAMs 177  
 oligomerization 102  
 oligonucleotides 79, 143–144  
 omeprazole-imprinted  
   nanoparticles-on-microspheres 441  
 OrCel® 67  
 organically modified montmorillonite  
   (OMMT) 364  
 O-silyl hydroquinone 179  
 osteoblast (bone-forming cell) function 354  
 osteoblastic cells (MC3T3-E1) 359–360  
 osteoblastlike cells (MG-63) 361  
 osteocalcin 86  
 osteocalcin (OC) 4  
 osteoconductive glass ceramic nanoparticles  
   323  
 osteopontin 214  
 oxidative release mechanism 177–178
- p**
- packing-based mechanism 485  
 paratope 118  
 partially acetylated PAMAM dendrimers (G5)  
   466  
 Pc-1 and Pc-2 proteins 279  
 PCL/sol-gel-derived BGNF nanocomposites  
   359  
 pectin/chitosan microcapsules 17  
 PEG-co-polycaprolactone micelles 432  
 PEG diacrylate 287  
 PEGylated poly(cyanoacrylate) NPs 466  
 PEGylated protein network 509  
 pentapeptide poly(VPGVG) 99  
 peptoid dendrimers 464  
 perfluoro-15-crown-5-ether (PFCE)  
   nanoemulsions 432  
 peripheral nerve repair 68  
 phage display 147  
 P25/heavy-chain/light-chain complex of  
   *Bombyx mori* silk 77  
 photoactivation method 178–179  
 photobased desorption methods 178  
 photolithography 252, 264  
*Phragmatopoma californica* 276, 278  
 pH-responsive microgels 442  
 phtalocyanine core (photosensitizer) 464  
*Phymatolithon calcareum* 17  
 physiological-like FN network 202  
*Pichia pastoris* 10  
 pillar fabrication 266  
*Pinctada imbricata* 318  
*Pinctada maxima* 4  
 pi–pi stacking 124  
 PLA-*b*-(PNIPAAm-co-DMAAm) 431  
 PLA/clay nanocomposite (NC) 369  
 plasma fibronectin (pFN) 190  
 plasmin target–PEG hydrogel 42  
 plastic antibody 131  
 platelet-derived growth factor (PDGF) 47  
 plate-shaped (HAps) HA nanocrystals 405  
 PLGA-PEG-PLGA triblock copolymer 499  
 PLL/BG composites 343–344  
 PLL/HA nanofilms 233  
 Pluronic™ 499  
 PNIPAAm-co-methacrylic acid (MAA)  
   hydrogelmembrane 428  
 Ploxadams™ 499  
 poly(2-acrylamido-2-methyl-1-propane-sulfonic  
   acid) (PAMPS) 428  
 poly(acrylic acid) 327  
 poly(amidoamine) (PAMAM) dendrimers  
   433, 459  
 polyanionic biopolymer 321  
 poly(APGVG) 101  
 polyaromatic macrocycles 137

- poly( $\epsilon$ -caprolactone-*co*-1,4-dioxan-2-one)  
(PCL-*co*-PDO) 499
- poly( $\epsilon$ -caprolactone-*co*-D,L-lactic acid) (PCLA)  
499
- poly( $\epsilon$ -caprolactone-*co*-trimethylene carbonate)  
(PCL-*co*-PTMC) 499
- polycaprolactone (PCL) 499, 537, 545
- polycaprolactone polyol (CAPA) 231, 369
- polycationic biopolymer 321
- poly(D, L-lactide-*co*-glycolide) (PLGA) 99,  
537, 545
- poly(2-diethylaminoethyl-methyl  
methacrylate)-poly(ethylene  
oxide)-poly(propylene oxide)-poly(ethylene  
oxide)-poly(2-diethylaminoethyl-methyl  
methacrylate) (PDEAEM25-PEO100-  
PPO65-PEO100-PDEAEM25) 432
- poly[(3,4-dihydroxystyrene)-*co*-styrene] 286
- poly(2-(dimethylamino)ethyl  
methacrylate)-*b*-poly(ethylene oxide) 430
- poly[2-(dimethylamino)ethyl  
methacrylate]-*b*-poly[methyl methacrylate]  
(PDMA-*b*-PMMA) 444
- polydimethylsiloxane (PDMS) 202, 484
- polydopamine films 287
- poly(ethyl acrylate) (PEA) 203
- poly(ethylene glycol)-*b*-poly(L-histidine) 430
- poly(ethylene  
glycol)-*b*-poly[(3-morpholinopropyl)  
aspartamide]-*b*-poly(L-lysine)  
(PEG-*b*-PMPA-*b*-PLL) 431
- poly(ethylene glycol) diacrylate  
(PEGDA)/laponite nanocomposite (NC)  
hydrogels 371
- poly(ethylene glycol) (PEG)-DOPA 286
- poly(ethylene glycol) (PEG) groups 171, 227,  
477, 497, 545
- diacrylates 219
- poly(ethylene oxide) (PEO) 499
- poly(ethyleneoxide)-poly(propyleneoxide)-  
poly(ethyleneoxide) (PEO-PPO-PEO) block  
copolymers 287
- polyethylene terephthalate (PET) 341
- poly(glycolic acid) (PGA) 353
- poly(Gly-Lys) 285
- poly(Gly-Tyr) 285
- polyHEMA hydrogels 507–508
- poly(2-hydroxyethyl methacrylate) (pHEMA)  
480
- poly(lactic acid) (PLA) 353
- poly(lactic-*co*-glycolic acid) (PLGA) 537
- poly(L-lactic acid) (PLLA) 323, 545
- fibers 480
- poly(L-lysine) (PLL) 283, 481
- polymer brush systems 172–173
- polymeric particles  
– from monomers 439–444  
– from preformed polymers 438–439
- polymer-induced liquid-precursor (PILP)  
336
- polymer/layered silicate nanocomposites  
366
- polymer nanocomposites 354
- polymer poly(*N*-isopropylacrylamide)  
(PIPAAM) 182
- polymer/silica nanocomposites 364
- polymer/SiO<sub>2</sub> nanocomposites 364
- polymersomes 429–432
- poly(meth)acrylate polymers 286
- poly(methacrylic acid) (PMAA) 287
- poly(methyl acrylate) (PMA) 203
- poly(methyl methacrylate) (PMMA) 220, 245
- poly(NIPAMM) surfaces 182
- poly(*N*-isopropylacrylamide-*co*-acrylamide)  
442
- poly(*N*-isopropylacrylamide-*co*-acrylic acid)  
bearing doxorubicin 444
- poly(*N*-isopropylacrylamide) (PIPAAM) 202,  
245
- poly(*N*-isopropylacrylamide) (PNIPAM)  
343–345
- poly(*N*-methacryloyl-L-phenylalanine) 439
- poly(*N*-methacryloyl-L-valine) 439
- poly(*N*-tertbutylacrylamide-*co*-acrylamide/  
maleic acid) hydrogels 445
- poly(*N*-vinylpyrrolidone)-*b*-poly(2-acrylamido-  
2-methyl-1-propanesulfonic acid) 430
- poly(*N*-vinylpyrrolidone)-*b*-  
poly(*N*-isopropylacrylamide)  
(PVPON-*b*-PNIPAM) 437
- poly(*N*-vinylpyrrolidone)-*b*-  
poly(*N*, *N*-dimethylaminoethyl  
methacrylate) 430
- polypeptides 141–142, 160
- poly(propylene fumarate) (PPF) 499
- poly(propyleneimine) (PPI) dendrimers 459
- poly(propylene oxide) (PPO) block copolymers  
499
- poly-[(*R*)-3-hydroxybutyrate] (PHB) 499
- polysaccharides 11, 13, 16, 360
- poly(sodium styrene sulfonate) 437
- polystyrene-block-poly(2-vinylpyridine)  
(PS-*b*-P2VP) 218
- poly(tetrafluoroethylene) 287
- poly(trimethylene carbonate) (PTMC) 499
- poly(Tyr-Lys) 285

- polyurethane-based MIPs 132
  - polyurethane (PU) 369, 537, 545
  - poly( $\delta$ -valerolactone) (PVL) 499
  - poly(vinyl acetate) 245
  - polyvinylidene difluoride (PVDF) membrane 108
  - poly(vinylidene fluoride) 245
  - poly(2-vinylpyridine)-*b*-poly(ethylene oxide) 430
  - poly-(4-vinylpyridine hydrochloride) 437
  - poly(VPGVG) concept matrix 104, 107
  - poly(X-Tyr-Lys) 285
  - porcine products 10
  - porous apatitic biomimetic scaffolds 388
  - potassium permanganate/nitric acid (KMnO<sub>4</sub>)/(HNO<sub>3</sub>) system 341
  - precipitation polymerization 442
  - preorganization of host structures 132, 135
  - proline (P) 76
  - propranolol 440
  - protein adsorption phenomenon
    - basics 161–162
    - kinetics of 162–163
    - packing density and 163
    - protein orientation *vs* activity 163
  - protein-engineered hydrogels
    - cellular behavior for therapeutic applications 25–26
    - covalently cross-linked 38–39
    - design of 28–30
    - development of biomimetic 41–48
    - production of 30–32
    - protein-graft-PEG hydrogel 42
    - self-assembled 32–38
    - structural diversity and applications of 32–39
    - for tissue engineering applications 41–48
  - protein engineering, principles of 26–28
  - proteins, adsorption and release using nanocrystals 402–406
  - proteins of marine origin as scaffolds 16
  - protein structure
    - in functionalizing nanopatterned surfaces 224–226
    - primary 160
    - quaternary 161
    - secondary 160
    - tertiary 160
  - PS superhydrophilic surface 250
  - P2VP-*b*-PEO 430
  - pyriform silk 77
  - pyrophosphate 406
- r**
- recombinant DNA technology 101
  - recombinant hybrid adhesive proteins 282
  - recombinant mussel adhesive proteins 281–282
  - recursive directional ligation (RDL) 102
  - repetitive polypeptides, biosynthesis of 101
  - responsive adhesion patterns 265–268
  - reversible photoactive switching 181–182
  - reversible temperature-based switching 182–184
  - RGD ligands 43, 45
  - RGD oligopeptide 180
  - RhBMP-2m 403
  - Rho-kinase 167, 194
  - ribosome display 148
  - risedronate 408
  - robotic DNA spotter 252
  - R-propranolol 440
  - Runx2/Cbfa1 482
- s**
- Saccharomyces cerevisiae* 281
  - sandcastle worms 278
  - 45S5 BG 356
  - scaffolds for tissue engineering 15–16
  - scanning probe block copolymer lithography 219
  - sea cucumbers 5
  - sea urchins 5
  - SELEX screening 146
  - self-assembled lipid layers 227
  - self-assembled monolayers (SAMs) 171–172, 227
    - advantage of 171
    - medical applicarions 172–173
    - mixed 171
    - nonfouling 171
    - oligo(ethylene) glycol coating of 227
    - oligoethylene-glycol (OEG)-terminated thiol 177
    - silane-grafted 178
  - self-assembled peptide amphiphile (PA) matrix 347
  - self-assembled polymers 429–432
  - self-assembled protein hydrogels 32–38
  - self-cleaning effect 237
  - shape-memory polymer 266, 268
  - shape theory 119
  - shared-electron number (SEN) method 136
  - shear-dependent fibrillogenesis 200
  - S-ibuprofen 440
  - silica nanoparticles (SNPs) 363–364
  - silk-based biomaterials

- biomedical applications 84–87
- *Bombyx mori* silk 75–77
- in the field of vascular tissue engineering 85–86
- mechanical properties 82–84
- non-load-bearing applications 83
- recombinant silk 79–82
- silk chimeric proteins with potential application in the biomedical field 81
- silk proteins expressed in *E. coli* and yeast recombinant systems 80
- spider silk 75, 77–79
- in tissue constructs for endothelial keratoplasty 84
- in the treatments for peripheral nerve injuries 86
- silk–elastinlike polypeptide (SELPs) 48
- “similis simili gaudet” principle 125
- Si<sub>3</sub>N<sub>4</sub>/BN composites 326
- single-stranded DNA (ssDNA) 143
- Si–OH 338
- SiO<sub>2</sub>/polyacrylic ester (PAE) multilayer composite 324
- SIS<sup>®</sup> 55
- S-ketoprofen 440
- skin, structure of 537–538
- skin repair, using collagen 66–67
- skin repair, using elastin 97–98
- skin tissue engineering (TE) construct materials 537
  - biomimetic approaches in 546–549
  - skin substitutes, currently available 549
  - in wound healing 538–545
- slow-degrading hydrogel 42
- smart mineralizing surfaces 343–345
- smart surfaces 108
- soft lithography 216, 252
- sol-gel-derived bioactive glass nanofiber (BGNF) 359, 361
- sol-gel silica 323
- solvent casting 12
- solvent casting–particle leaching method 15
- spider silk 75, 77–79, 245
  - amino-terminal sequence 78
  - carboxy-terminal region 78
  - crystalline domains 78
  - formation of 77
  - formation of helical structures 78
  - hydrophobic poly-A and GA blocks 78
  - protein expression 77
  - recombinant spider silk 4RepCT 84
  - spinning process of 83
  - toughness of major 82
- spin-coating LbL assembly methodology 324
- β-spiral conformation 99, 103
- 4S-StarPEG (four-arm polyethylene glycol)succinimidyl glutarate pentaerythritol 64, 70
- starch/cellulose acetate blends (SCA) 341
- starch/ethylene-vinyl alcohol (SEVA-C) 341
- starch/polycaprolactone blends (SPCL) 341
- stem-cell-based applications in tissue engineering 18
- stem cell biology 232–233
- stimuli-responsive nanostructures and nanostructured networks 428–449
  - chemically cross-linked hydrogels 444–447
  - dendrimers 433–436
  - grafting of stimuli-responsive polymers 447–449
  - layer-by-layer (LbL) techniques of preformed polymers 436–438
  - polymeric particles from monomers 439–444
  - polymeric particles from preformed polymers 438–439
  - self-assembled polymers 429–432
- stimuli-responsive surfaces 343
- stimuli-sensitive materials
  - autonomous responsiveness 428
  - electrical field 425–426
  - glutathione (GSH) 420
  - light 423–425
  - magnetic field 426–427
  - molecule-responsive and imprinted systems 420–422
  - pH gradients 419–420
  - temperature of the body 422–423
  - ultrasounds 427
- streptavidin–biotin complex 126
- Strombus gigas* 4
- sulfonic (–SO<sub>3</sub>H) group 338
- superfibrinectin 197
- superhydrophilic TiO<sub>2</sub> nanotube layers 251
- superhydrophobic surfaces 237–238
  - anisotropic superhydrophobic surfaces 244–245
  - blood platelet adhesion on 251
  - bovine serum albumin (BSA) adsorption on 250
  - fabricated using nature 241–245
  - inspired by lotus leaf 241–243
  - inspired by the legs of the water strider 243–244
  - silicone nanofilaments 250
  - substrate preparation and surface wettability 254

- superhydrophobic surfaces (*contd.*)
    - superhydrophobic poly(l-lactic acid) (PLLA) 241
    - superhydrophobic PTFE 251
  - superhydrophobic Teflon AF substrates 253
  - supramolecular chemistry 121
    - chelate effect 135
    - effective supramolecular receptors for biomimetic sensing 137–140
    - macrocyclic effect 134–135
    - modeling methods 136
    - preorganization of host structures 135
    - rational design of structural properties 136
    - templating effect 136–137
  - supravalvular aortic stenosis (SVAS) 97
  - surface-active ceramic 338
  - surface bioreactivity of nanoparticles 356
  - surface charge 161
  - surface composition of a material 162
  - surface hydrophobicity 161
  - surface-induced FN fibrillogenesis 201–202
  - surface-initiated atom-transfer radical polymerization (SI-ATRP) 172
  - surface-modified BG/PLLA composites 359
  - surface nanotopography 220–221
  - surface wettability, application in biomedical field
    - amino-ended surfaces 250
    - blood interactions with surfaces 251
    - carboxyl-ended surfaces 250
    - cell interactions 246–249
    - high-throughput screening 252–253
    - protein interactions 249–251
    - substrates for preparing hydrogel and polymeric particles 254
  - surface wettability, theory of
    - Cassie–Baxter model 240, 251
    - transition between the Cassie–Baxter and Wenzel Models 240–241
    - Wenzel's model 240
    - Young's model 239–240
  - suspension polymerization 441
  - synthetic hydroxyapatites (HAs) 383
  - synthetic *vs* natural biomaterials 94
- t**
- T-antigen-linked-glyco PAMAM dendrimers 466
  - Ta–OH 338
  - TC–HAP biomaterials 304–306
  - template inhibition technique 325, 487
  - templating 252
  - tendon-derived fibroblasts 64
  - tendon repair using collagen 68
  - tetraethylene glycol (TEG) spacer 180
  - “thermodynamically reversible addressing of proteins” (TRAPs) technology 108
  - thermosensitive shape-memory polymers 266
  - thioredoxin (Trx) protein 47
  - three-dimensional scaffolds 16
  - threonine (T) 76
  - Ti–6Al–4V alloys 390
  - tilted fibrillar structures 263–264
  - Ti–OH 338
  - tissue engineered scaffolds for disk regeneration 69
  - tissue engineering 4
  - tissue engineering and regenerative medicine (TERM) 93, 106
  - tissue/organ heterogeneity *in vivo* 474–477
  - tissue plasminogen activator (tPA) 42
  - tissue printing 486
  - tissues mimicked by collagen biomaterials
    - bone 69
    - cartilage 70
    - intervertebral disk 69–70
    - nerves 68
    - skin 66–67
    - tendons 68
  - tobacco 80
  - toluene-2,4-di-isocyanate (TDI) 371
  - trabeculae 334
  - tree frogs' attachment pads 260, 269
  - tree trunk 3
  - triblock–ELR copolymer 107
  - $\beta$ -tricalcium phosphate ( $\beta$ -TCP) 409
  - tridimensional porous structures 15–17
  - Tris–HCl buffer 10
  - tropocollagen (TC) 296–299
  - tryptophan (W) 76
  - tube worms 278–279
  - two-phase systems 487
  - tyrosine-isoleucine-glycine-serine-arginine (YIGSR) oligopeptide 174
- u**
- U-fucoidan 12
  - Ulva* 11
  - ulvan 11–12
  - urokinase plasminogen activator (uPA) 42
- v**
- valve endothelial cells (VECs) 477
  - valve interstitial cells (VICs) 477
  - vancomycin 448
  - Verongida sponges 15

4-vinylpyridine (VPD) 440  
Vroman effect 163–164, 170

**w**

water-in-oil (W/O) heterogeneous gelation  
439  
Watson–Crick base pairing 140  
weight-bearing trabecular systems 335  
Wenzel's model of surface wettability 240  
Williams syndrome 97  
wound dressings and their properties  
545–546  
wound healing biomaterials  
– alginate 539–540  
– cellulose 540  
– chitin/chitosan 541–543  
– collagen 67, 544–545  
– elastin 97–98

– fibrin 545  
– gelatin 544  
– hyaluronic acid or hyaluronan (HA)  
543–544  
– polymeric membranes 12–13  
– silk 544  
– soy protein 544–545  
– synthetic polymers 545

**y**

Young's model of surface wettability  
239–240

**z**

Z-isomer 181  
zoledronate 400, 408–409  
ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> 318  
Zr–OH 338

